L Number	Hits	Search Text	DB	Time stamp
3	13	351/$.ccls. and (lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coat$4 or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer)) and (mark$4 or logo or decorat$4 or relief or pattern)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 10:06
5	21	351/$.ccls. and (lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) near3 (filter or coat$4 or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer)) and (mark$4 or logo or decorat$4 or relief or pattern)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:04
13	8	(351/$.ccls. and (lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) near3 (filter or coat$4 or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer)) and (mark$4 or logo or decorat$4 or relief or pattern)) not (351/$.ccls. and (lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coat$4 or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer)) and (mark$4 or logo or decorat$4 or relief or pattern))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:08
14	2	5,704,692.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:27
18	303	359/585.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:28
19	56	359/585.ccls. and lens	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:30
20	422	359/577, 580-590.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:32
22	23	((359/577, 580-590.ccls.) and lens) and asymmetr$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:33
21	213	(359/577, 580-590.ccls.) and lens	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:38
-	2	Yip-Brandon.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 10:34
-	1	Hall-Collin-$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:36

-	2	Samson-Frank-$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:37
-	73	Adams-Brian-$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:38
-	1	Adams-Brian-Douglas.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:38
-	0	Gove-Randy-Lee.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:38
-	18	("4679918"|"4878748"|"5054902"|"5694240"|"5702819"|"6145984"|"6220701183"|"6346800")|.PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:46
-	29	6020983.pn. 5757459.pn. 5702819.pn. 5512371.pn. 5464710.pn. 5432623.pn. 5219497.pn. 5147585.pn. 5073009.pn. 4934792.pn. 4873029.pn. 4840444.pn. 4715702.pn. 4315665.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 13:58
-	246	"6020983" "5757459" "5702819" "5512371" "5464710" "5432623" "5219497" "5147585" "5073009" "4934792" "4873029" "4840444" "4715702" "4315665"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:50
-	2	WO-9921048-A1.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 14:25

C:\APPS\EAST\Workspaces\09_403608.wsp

-		2	WO-9735224-$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 15:05
-		2	4954591.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 15:07
-		11	"971398"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 10:39
-		12	"2144242"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 10:39
-		24	"2758510"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 15:59
-		334	351/163.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 15:30
-		102	351/165.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 15:33
-		49	351/163.ccls. and (decorative or mark or logo) and (interference or filter or asymmetr$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 15:49
-		60	351/163.ccls. and (decorative or mark or logo)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 15:50
-		51	351/163.ccls. and (decorative or mark or logo) and (interference or filter or asymmetr$8 or dielectric)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/13 12:14
-		55	"4045125"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 16:00
-		9	"5513040"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 13:47

-	6	4,315,665.pn. 4,840,444.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 14:07
-	22	4320939.pn. 2230009.pn. 2675740.pn. 2281101.pn. 4145125.pn. 4329378.pn. 4715702.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:06
-	2	5407733.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 16:10
-	454	351/45,51,165.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/13 12:14
-	46	351/45,51,165.ccls. and (dielectric or interference or asymmetr$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/13 13:46
-	28	(351/45,51,165.ccls. and (dielectric or interference or asymmetr$8)) and (metal$8 or conduct$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/13 13:47
-	48	351/45,51,165.ccls. and (dielectric or interference or asymmetr$8 or antireflect$4 or anti adj refelect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/13 13:52
-	28	(351/45,51,165.ccls. and (dielectric or interference or asymmetr$8 or antireflect$4 or anti adj refelect$4)) and (metal$8 or conduct$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/13 13:52
-	2	(351/45,51,165.ccls. and (dielectric or interference or asymmetr$8 or antireflect$4 or anti adj refelect$4)) not (351/45,51,165.ccls. and (dielectric or interference or asymmetr$8))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/13 13:49
-	3536	351/41,44,47,49,159,163,166,177.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/13 13:52
-	386	351/41,44,47,49,159,163,166,177.ccls. and (dielectric or interference or asymmetr$8 or antireflect$4 or anti adj refelect$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/13 13:52
-	195	(351/41,44,47,49,159,163,166,177.ccls. and (dielectric or interference or asymmetr$8 or antireflect$4 or anti adj refelect$4)) and (metal$8 or conduct$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 15:32

-	491	((359/$.ccls. and ((interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4))) and (metal$8 or conductive or conducting)) and wafer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/13 14:23
-	765	((359/$.ccls. and ((interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4))) and (metal$8 or conductive or conducting)) and laminat$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 12:39
-	5	((359/$.ccls. and ((interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4))) and (metal$8 or conductive or conducting)) and lens adj wafer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/13 14:24
-	55	"4045125"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:06
-	24	"4045125" and lens	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:16
-	95	"3756692" "3382183" "3298959" "3269267" "EP 115656"$2 EP-115656-$.did. "WO 8808340"$2 WO-8808340-$.did. "EP 409719A" "EP 409719" "EP 0 409 719 A1"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:34
-	39	("3756692" "3382183" "3298959" "3269267" "EP 115656"$2 EP-115656-$.did. "WO 8808340"$2 WO-8808340-$.did. "EP 409719A" "EP 409719" "EP 0 409 719 A1") and lens	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:34
-	7	(("3756692" "3382183" "3298959" "3269267" "EP 115656"$2 EP-115656-$.did. "WO 8808340"$2 WO-8808340-$.did. "EP 409719A" "EP 409719" "EP 0 409 719 A1") and lens) and (laminat$4 or cement$4 or lens adj wafer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 12:41
-	1012	((359/$.ccls. and ((interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4))) and (metal$8 or conductive or conducting)) and (laminat$4 or cement$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 12:45
-	569	(((359/$.ccls. and ((interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4))) and (metal$8 or conductive or conducting)) and (laminat$4 or cement$4)) and lens	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 12:42
-	397	((((359/$.ccls. and ((interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4))) and (metal$8 or conductive or conducting)) and (laminat$4 or cement$4)) and lens) and (dielectric or non adj conduct$4 or nonconduct$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 12:43

-	484	(((359/$.ccls. and ((interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4))) and (metal$8 or conductive or conducting)) and (laminat$4 or cement$4)) and lens) and (dielectric or non adj conduct$4 or nonconduct$4 or oxide or "SiO.sub.2")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 12:48
-	934	lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer) and (laminat$4 or cement$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 12:58
-	3197	lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:10
-	1	(lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer)) and Farges-Guy.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 12:59
-	653	(lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer) and (laminat$4 or cement$4)) and ((dielectric or non adj conduct$4 or nonconduct$4 or oxide or "SiO.sub.2" or transparent or non adj absor$5 or nonabsor$5) adj layer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:01
-	361	((lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer) and (laminat$4 or cement$4)) and ((dielectric or non adj conduct$4 or nonconduct$4 or oxide or "SiO.sub.2" or transparent or non adj absor$5 or nonabsor$5) adj layer)) and (multi adj layer$3 or multilayer$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:06
-	417	((lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer) and (laminat$4 or cement$4)) and ((dielectric or non adj conduct$4 or nonconduct$4 or oxide or "SiO.sub.2" or transparent or non adj absor$5 or nonabsor$5) adj layer)) and ((multi or multiple or plural$3) adj layer$3 or multilayer$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:06
-	2451	(lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer)) and (mark$4 or logo or decorat$4 or relief or pattern)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:30
-	356	(((lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer) and (laminat$4 or cement$4)) and ((dielectric or non adj conduct$4 or nonconduct$4 or oxide or "SiO.sub.2" or transparent or non adj absor$5 or nonabsor$5) adj layer)) and ((multi or multiple or plural$3) adj layer$3 or multilayer$3)) and (mark$4 or logo or decorat$4 or relief or pattern)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:18
-	1	351/$.ccls. and (((((lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer) and (laminat$4 or cement$4)) and ((dielectric or non adj conduct$4 or nonconduct$4 or oxide or "SiO.sub.2" or transparent or non adj absor$5 or nonabsor$5) adj layer)) and ((multi or multiple or plural$3) adj layer$3 or multilayer$3)) and (mark$4 or logo or decorat$4 or relief or pattern))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:20

-	46	359/$.ccls. and ((((lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer) and (laminat$4 or cement$4)) and ((dielectric or non adj conduct$4 or nonconduct$4 or oxide or "SiO.sub.2" or transparent or non adj absor$5 or nonabsor$5) adj layer)) and ((multi or multiple or plural$3) adj layer$3 or multilayer$3)) and (mark$4 or logo or decorat$4 or relief or pattern))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:19
-	61	359/$.ccls. and (((lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer) and (laminat$4 or cement$4)) and ((dielectric or non adj conduct$4 or nonconduct$4 or oxide or "SiO.sub.2" or transparent or non adj absor$5 or nonabsor$5) adj layer)) and ((multi or multiple or plural$3) adj layer$3 or multilayer$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:26
-	2	351/$.ccls. and (((lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer) and (laminat$4 or cement$4)) and ((dielectric or non adj conduct$4 or nonconduct$4 or oxide or "SiO.sub.2" or transparent or non adj absor$5 or nonabsor$5) adj layer)) and ((multi or multiple or plural$3) adj layer$3 or multilayer$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:26
-	2	351/$.ccls. and ((lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer) and (laminat$4 or cement$4)) and ((dielectric or non adj conduct$4 or nonconduct$4 or oxide or "SiO.sub.2" or transparent or non adj absor$5 or nonabsor$5) adj layer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:26
-	465	359/$.ccls. and (lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:29
-	349	359/$.ccls. and (lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer)) and (mark$4 or logo or decorat$4 or relief or pattern)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:30
-	13	351/$.ccls. and (lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer)) and (mark$4 or logo or decorat$4 or relief or pattern)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 10:00
-	88	359/$.ccls. and ((lens and ((band or passband or interference or dielectric or (asymmetr$8 or anti) adj reflect$4 or antireflect$4) adj (filter or coating or mirror or layer$4 or multi or multilayer$4)) and ((metal$8 or conductive or conducting) adj layer) and (laminat$4 or cement$4)) and ((dielectric or non adj conduct$4 or nonconduct$4 or oxide or "SiO.sub.2" or transparent or non adj absor$5 or nonabsor$5) adj layer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:34
-	2	5332618.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 15:39

C:\APPS\EAST\Workspaces\09_403608.wsp